




ProNeo[®]

LED LIGHTING


Price List
Fiyat Listesi

Mayıs 2013
May 2013

ECO-PLUS LED FLORESAN (DİFFÜZE) / ECO-PLUS LED FLUORE

	DM-E01D-E009C	Cool White [6000K-6650K]	180 - 240V	9	799	120	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	36.00
	DM-E01D-E009N	Natural White [3900K-4300K]	180 - 240V	9	772	120	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	36.00
	DM-E01D-E009W	Warm White [2700K-3150K]	180 - 240V	9	740	120	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	36.00
	DM-E02D-E013C	Cool White [6000K-6650K]	180 - 240V	13	1,119	168	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	44.00
	DM-E02D-E013N	Natural White [3900K-4300K]	180 - 240V	13	1,081	168	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	44.00
	DM-E02D-E013W	Warm White [2700K-3150K]	180 - 240V	13	1,036	168	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	44.00
	DM-E03D-E014C	Cool White [6000K-6650K]	180 - 240V	14	1,279	192	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	50.00
	DM-E03D-E014N	Natural White [3900K-4300K]	180 - 240V	14	1,236	192	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	50.00
	DM-E03D-E014W	Warm White [2700K-3150K]	180 - 240V	14	1,184	192	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	50.00
	DM-E04D-E018C	Cool White [6000K-6650K]	180 - 240V	18	1,598	240	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	62.00
	DM-E04D-E018N	Natural White [3900K-4300K]	180 - 240V	18	1,544	240	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	62.00
	DM-E04D-E018W	Warm White [2700K-3150K]	180 - 240V	18	1,480	240	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	62.00

ECO-PLUS LED FLORESAN (ŞEFFAF) / ECO-PLUS LED FLUORE

	DM-E01T-E009C	Cool White [6000K-6650K]	180 - 240V	9	888	120	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	36.00
	DM-E01T-E009N	Natural White [3900K-4300K]	180 - 240V	9	858	120	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	36.00
	DM-E01T-E009W	Warm White [2700K-3150K]	180 - 240V	9	822	120	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	36.00
	DM-E02T-E013C	Cool White [6000K-6650K]	180 - 240V	13	1,243	168	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	44.00
	DM-E02T-E013N	Natural White [3900K-4300K]	180 - 240V	13	1,201	168	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	44.00
	DM-E02T-E013W	Warm White [2700K-3150K]	180 - 240V	13	1,151	168	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	44.00
	DM-E03T-E014C	Cool White [6000K-6650K]	180 - 240V	14	1,421	192	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	50.00
	DM-E03T-E014N	Natural White [3900K-4300K]	180 - 240V	14	1,373	192	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	50.00
	DM-E03T-E014W	Warm White [2700K-3150K]	180 - 240V	14	1,315	192	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	50.00
DM-E04T-E018C	Cool White [6000K-6650K]	180 - 240V	18	1,776	240	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	62.00	
DM-E04T-E018N	Natural White [3900K-4300K]	180 - 240V	18	1,716	240	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	62.00	
DM-E04T-E018W	Warm White [2700K-3150K]	180 - 240V	18	1,644	240	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	62.00	

ULTRA-AYDINLIK LED FLORESAN (DİFFÜZE) / ULTRA-BRIGHT L



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-U01D-E013C	Cool White [6000K-6650K]	180 - 240V	13	1,119	168	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	40.00
DM-U01D-E013N	Natural White [3900K-4300K]	180 - 240V	13	1,081	168	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	40.00
DM-U01D-E013W	Warm White [2700K-3150K]	180 - 240V	13	1,036	168	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	40.00
DM-U02D-E016C	Cool White [6000K-6650K]	180 - 240V	16	1,439	216	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	48.00
DM-U02D-E016N	Natural White [3900K-4300K]	180 - 240V	16	1,390	216	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	48.00
DM-U02D-E016W	Warm White [2700K-3150K]	180 - 240V	16	1,332	216	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	48.00
DM-U03D-E020C	Cool White [6000K-6650K]	180 - 240V	20	1,758	264	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	56.00
DM-U03D-E020N	Natural White [3900K-4300K]	180 - 240V	20	1,699	264	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	56.00
DM-U03D-E020W	Warm White [2700K-3150K]	180 - 240V	20	1,628	264	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	56.00
DM-U03D-E023C	Cool White [6000K-6650K]	180 - 240V	23	2,078	312	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	60.00
DM-U03D-E023N	Natural White [3900K-4300K]	180 - 240V	23	2,008	312	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	60.00
DM-U03D-E023W	Warm White [2700K-3150K]	180 - 240V	23	1,923	312	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	60.00
DM-U04D-E023C	Cool White [6000K-6650K]	180 - 240V	23	2,078	312	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	68.00
DM-U04D-E023N	Natural White [3900K-4300K]	180 - 240V	23	2,008	312	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	68.00
DM-U04D-E023W	Warm White [2700K-3150K]	180 - 240V	23	1,923	312	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	68.00

ULTRA-AYDINLIK LED FLORESAN (ŞEFFAF) / ULTRA-BRIGHT L



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-U01T-E013C	Cool White [6000K-6650K]	180 - 240V	13	1,243	168	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	40.00
DM-U01T-E013N	Natural White [3900K-4300K]	180 - 240V	13	1,201	168	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	40.00
DM-U01T-E013W	Warm White [2700K-3150K]	180 - 240V	13	1,151	168	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	40.00
DM-U02T-E016C	Cool White [6000K-6650K]	180 - 240V	16	1,598	216	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	48.00
DM-U02T-E016N	Natural White [3900K-4300K]	180 - 240V	16	1,544	216	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	48.00
DM-U02T-E016W	Warm White [2700K-3150K]	180 - 240V	16	1,480	216	IP20	G900(W)x D26(D)x Y29(H)mm	20.00	48.00
DM-U03T-E020C	Cool White [6000K-6650K]	180 - 240V	20	1,954	264	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	56.00
DM-U03T-E020N	Natural White [3900K-4300K]	180 - 240V	20	1,888	264	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	56.00
DM-U03T-E020W	Warm White [2700K-3150K]	180 - 240V	20	1,808	264	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	56.00
DM-U03T-E023C	Cool White [6000K-6650K]	180 - 240V	23	2,309	312	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	60.00
DM-U03T-E023N	Natural White [3900K-4300K]	180 - 240V	23	2,231	312	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	60.00
DM-U03T-E023W	Warm White [2700K-3150K]	180 - 240V	23	2,137	312	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	60.00
DM-U04T-E023C	Cool White [6000K-6650K]	180 - 240V	23	2,309	312	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	68.00
DM-U04T-E023N	Natural White [3900K-4300K]	180 - 240V	23	2,231	312	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	68.00
DM-U04T-E023W	Warm White [2700K-3150K]	180 - 240V	23	2,137	312	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	68.00

DM-U2x Serisi Duvara Monte T8 Floresanlar / DM-U2x Series Wall										
	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)	
	DM-U21D-E011C	Cool White [6000K-6650K]	180 - 240V	11	899	96	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	36.00
	DM-U21D-E011N	Natural White [3900K-4300K]	180 - 240V	11	899	96	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	36.00
	DM-U21D-E011W	Warm White [2700K-3150K]	180 - 240V	11	799	96	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	36.00
	DM-U23D-E022C	Cool White [6000K-6650K]	180 - 240V	22	1,872	200	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	50.00
	DM-U23D-E022N	Natural White [3900K-4300K]	180 - 240V	22	1,872	200	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	50.00
	DM-U23D-E022W	Warm White [2700K-3150K]	180 - 240V	22	1,665	200	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	50.00
	DM-U24D-E023C	Cool White [6000K-6650K]	180 - 240V	23	1,947	208	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	56.00
	DM-U24D-E023N	Natural White [3900K-4300K]	180 - 240V	23	1,947	208	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	56.00
	DM-U24D-E023W	Warm White [2700K-3150K]	180 - 240V	23	1,732	208	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	56.00
DM-U5x Serisi Duvara Monte T5 Floresanlar / DM-U5x Series Wall										
	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)	
	DM-U51D-E023C	Cool White [6000K-6650K]	180 - 240V	23	1,890	100	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	40.00
	DM-U51D-E023N	Natural White [3900K-4300K]	180 - 240V	23	1,890	100	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	40.00
	DM-U51D-E023W	Warm White [2700K-3150K]	180 - 240V	23	1,638	100	IP20	G600(W)x D26(D)x Y29(H)mm	20.00	40.00
	DM-U53D-E046C	Cool White [6000K-6650K]	180 - 240V	46	3,780	200	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	70.00
	DM-U53D-E046N	Natural White [3900K-4300K]	180 - 240V	46	3,780	200	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	70.00
	DM-U53D-E046W	Warm White [2700K-3150K]	180 - 240V	46	3,276	200	IP20	G1200(W)x D26(D)x Y29(H)mm	20.00	70.00
	DM-U54D-E055C	Cool White [6000K-6650K]	180 - 240V	55	4,536	240	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	90.00
	DM-U54D-E055N	Natural White [3900K-4300K]	180 - 240V	55	4,536	240	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	90.00
	DM-U54D-E055W	Warm White [2700K-3150K]	180 - 240V	55	3,931	240	IP20	G1500(W)x D26(D)x Y29(H)mm	20.00	90.00


[illegible]

DM-F21 SLİM LED PANEL / SLİM LED PANEL		Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	PFC	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
	DM-F21V-E012C	Cool White [6000K-6650K]	175 - 240V	12	1,165	112		IP20	295x295x12mm	1.00	108.00
	DM-F21V-E012N	Natural White [3900K-4300K]	175 - 240V	12	1,165	112		IP20	295x295x12mm	1.00	108.00
	DM-F21V-E012W	Warm White [2700K-3150K]	175 - 240V	12	1,036	112		IP20	295x295x12mm	1.00	108.00
DM-F22 SLİM LED PANEL / SLİM LED PANEL		Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	PFC	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
	DM-F22V-E016C	Cool White [6000K-6650K]	175 - 240V	16	1,331	128		IP20	295x595x12mm	1.00	150.00
	DM-F22V-E016N	Natural White [3900K-4300K]	175 - 240V	16	1,331	128		IP20	295x595x12mm	1.00	150.00
	DM-F22V-E016W	Warm White [2700K-3150K]	175 - 240V	16	1,184	128		IP20	295x595x12mm	1.00	150.00
DM-F23 SLİM LED PANEL / SLİM LED PANEL		Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	PFC	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List
	DM-F23V-E030C	Cool White [6000K-6650K]	175 - 240V	30	2,662	256		IP20	595x595x12mm	1.00	186.00
	DM-F23V-E030N	Natural White [3900K-4300K]	175 - 240V	30	2,662	256		IP20	595x595x12mm	1.00	186.00
	DM-F23V-E030W	Warm White [2700K-3150K]	175 - 240V	30	2,368	256		IP20	595x595x12mm	1.00	186.00
	DM-F23V-E058C	Cool White [6000K-6650K]	175 - 240V	58	5,376	256		IP20	595x595x12mm	1.00	204.00
	DM-F23V-E058N	Natural White [3900K-4300K]	175 - 240V	58	5,376	256		IP20	595x595x12mm	1.00	204.00
	DM-F23V-E058W	Warm White [2700K-3150K]	175 - 240V	58	4,659	256		IP20	595x595x12mm	1.00	204.00
DM-F24 SLİM LED PANEL / SLİM LED PANEL		Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	PFC	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
	DM-F24V-E032C	Cool White [6000K-6650K]	175 - 240V	32	2,829	272		IP20	295x1195x12mm	1.00	186.00
	DM-F24V-E032N	Natural White [3900K-4300K]	175 - 240V	32	2,829	272		IP20	295x1195x12mm	1.00	186.00
	DM-F24V-E032W	Warm White [2700K-3150K]	175 - 240V	32	2,516	272		IP20	295x1195x12mm	1.00	186.00
	DM-F24V-E064C	Cool White [6000K-6650K]	175 - 240V	64	5,712	272		IP20	295x1195x12mm	1.00	204.00
	DM-F24V-E064N	Natural White [3900K-4300K]	175 - 240V	64	5,712	272		IP20	295x1195x12mm	1.00	204.00
	DM-F24V-E064W	Warm White [2700K-3150K]	175 - 240V	64	4,950	272		IP20	295x1195x12mm	1.00	204.00

DM-S30 LED SPOT / LED DOWNLIGHT





	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-S31V-E005C	Cool White [6000K-6650K]	175 - 240V	5	504	24	IP20	3" - Ø106xØ82xD30(D)mm	1.00	36.00
DM-S31V-E005N	Natural White [3900K-4300K]	175 - 240V	5	504	24	IP20	3" - Ø106xØ82xD30(D)mm	1.00	36.00
DM-S31V-E005W	Warm White [2700K-3150K]	175 - 240V	5	437	24	IP20	3" - Ø106xØ82xD30(D)mm	1.00	36.00
DM-S32V-E011C	Cool White [6000K-6650K]	175 - 240V	11	1,008	48	IP20	4" - Ø145xØ115xD32(D)mm	1.00	44.00
DM-S32V-E011N	Natural White [3900K-4300K]	175 - 240V	11	1,008	48	IP20	4" - Ø145xØ115xD32(D)mm	1.00	44.00
DM-S32V-E011W	Warm White [2700K-3150K]	175 - 240V	11	874	48	IP20	4" - Ø145xØ115xD32(D)mm	1.00	44.00
DM-S33V-E017C	Cool White [6000K-6650K]	175 - 240V	17	1,470	70	IP20	5" - Ø165xØ132xD32(D)mm	1.00	52.00
DM-S33V-E017N	Natural White [3900K-4300K]	175 - 240V	17	1,470	70	IP20	5" - Ø165xØ132xD32(D)mm	1.00	52.00
DM-S33V-E017W	Warm White [2700K-3150K]	175 - 240V	17	1,274	70	IP20	5" - Ø165xØ132xD32(D)mm	1.00	52.00
DM-S34V-E022C	Cool White [6000K-6650K]	175 - 240V	22	1,764	84	IP20	6" - Ø200xØ162xD34(D)mm	1.00	72.00
DM-S34V-E022N	Natural White [3900K-4300K]	175 - 240V	22	1,764	84	IP20	6" - Ø200xØ162xD34(D)mm	1.00	72.00
DM-S34V-E022W	Warm White [2700K-3150K]	175 - 240V	22	1,529	84	IP20	6" - Ø200xØ162xD34(D)mm	1.00	72.00
DM-S35V-E024C	Cool White [6000K-6650K]	175 - 240V	24	2,016	96	IP20	8" - Ø235xØ200xD34(D)mm	1.00	94.00
DM-S35V-E024N	Natural White [3900K-4300K]	175 - 240V	24	2,016	96	IP20	8" - Ø235xØ200xD34(D)mm	1.00	94.00
DM-S35V-E024W	Warm White [2700K-3150K]	175 - 240V	24	1,747	96	IP20	8" - Ø235xØ200xD34(D)mm	1.00	94.00




DM-I23V-3080C	Cool White [6000K-6650K]	Harici (26.4V)	6	592	80	IP20	1000x18.6x14mm	1.00	15.00
DM-I23V-3080N	Natural White [3900K-4300K]	Harici (26.4V)	6	572	80	IP20	1000x18.6x14mm	1.00	15.00
DM-I23V-3080W	Warm White [2700K-3150K]	Harici (26.4V)	6	548	80	IP20	1000x18.6x14mm	1.00	15.00
DM-I23V-3080R	Kırmızı-Red [625nm]	Harici (16.8V)	4	144	80	IP20	1000x18.6x14mm	1.00	19.00
DM-I23V-3080G	Yeşil-Green [528nm]	Harici (26.4V)	6	432	80	IP20	1000x18.6x14mm	1.00	19.00
DM-I23V-3080B	Mavi-Blue [470nm]	Harici (26.4V)	6	80	80	IP20	1000x18.6x14mm	1.00	19.00
DM-I23V-3080A	Amber [615nm]	Harici (12.5V)	4	144	80	IP20	1000x18.6x14mm	1.00	19.00
DM-I23V-3100C	Cool White [6000K-6650K]	Harici (13.2V)	7	740	100	IP20	1000x18.6x14mm	1.00	17.00
DM-I23V-3100N	Natural White [3900K-4300K]	Harici (13.2V)	7	715	100	IP20	1000x18.6x14mm	1.00	17.00
DM-I23V-3100W	Warm White [2700K-3150K]	Harici (12.5V)	7	685	100	IP20	1000x18.6x14mm	1.00	17.00
DM-I23V-3100R	Kırmızı-Red [625nm]	Harici (8.4V)	5	180	100	IP20	1000x18.6x14mm	1.00	31.00
DM-I23V-3100G	Yeşil-Green [528nm]	Harici (13.2V)	7	540	100	IP20	1000x18.6x14mm	1.00	31.00
DM-I23V-3100B	Mavi-Blue [470nm]	Harici (13.2V)	7	100	100	IP20	1000x18.6x14mm	1.00	31.00
DM-I23V-3100A	Amber [615nm]	Harici (8.4V)	5	180	100	IP20	1000x18.6x14mm	1.00	31.00
DM-I23V-3200C	Cool White [6000K-6650K]	Harici (26.4V)	16	1,480	200	IP20	1000x18.6x14mm	1.00	39.00
DM-I23V-3200N	Natural White [3900K-4300K]	Harici (26.4V)	16	1,430	200	IP20	1000x18.6x14mm	1.00	39.00
DM-I23V-3200W	Warm White [2700K-3150K]	Harici (26.4V)	16	1,370	200	IP20	1000x18.6x14mm	1.00	39.00
DM-I23V-3200R	Kırmızı-Red [625nm]	Harici (16.8V)	9	360	200	IP20	1000x18.6x14mm	1.00	46.00
DM-I23V-3200G	Yeşil-Green [528nm]	Harici (26.4V)	16	1,080	200	IP20	1000x18.6x14mm	1.00	46.00
DM-I23V-3200B	Mavi-Blue [470nm]	Harici (26.4V)	16	200	200	IP20	1000x18.6x14mm	1.00	46.00
DM-I23V-3200A	Amber [615nm]	Harici (16.8V)	9	360	200	IP20	1000x18.6x14mm	1.00	46.00


DM-I LED LINEER (LED+PCB) [3014 SMD] / LED LINEAR (LED+PCB)


	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	PFC	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-I23V-4030C	Cool White [6000K-6650K]	Harici (9.6V)	2	312	30		IP20	1000x18.6x14mm	1.00	10.00
DM-I23V-4030N	Natural White [3900K-4300K]	Harici (9.6V)	2	312	30		IP20	1000x18.6x14mm	1.00	10.00
DM-I23V-4030W	Warm White [2700K-3150K]	Harici (9.6V)	2	278	30		IP20	1000x18.6x14mm	1.00	10.00
DM-I23V-4040C	Cool White [6000K-6650K]	Harici (12.8V)	4	416	40		IP20	1000x18.6x14mm	1.00	11.00
DM-I23V-4040N	Natural White [3900K-4300K]	Harici (12.8V)	4	416	40		IP20	1000x18.6x14mm	1.00	11.00
DM-I23V-4040W	Warm White [2700K-3150K]	Harici (12.8V)	4	370	40		IP20	1000x18.6x14mm	1.00	11.00
DM-I23V-4060C	Cool White [6000K-6650K]	Harici (19.2V)	6	624	60		IP20	1000x18.6x14mm	1.00	13.00
DM-I23V-4060N	Natural White [3900K-4300K]	Harici (19.2V)	6	624	60		IP20	1000x18.6x14mm	1.00	13.00
DM-I23V-4060W	Warm White [2700K-3150K]	Harici (19.2V)	6	555	60		IP20	1000x18.6x14mm	1.00	13.00
DM-I23V-4080C	Cool White [6000K-6650K]	Harici (25.6V)	8	832	80		IP20	1000x18.6x14mm	1.00	15.00
DM-I23V-4080N	Natural White [3900K-4300K]	Harici (25.6V)	8	832	80		IP20	1000x18.6x14mm	1.00	15.00
DM-I23V-4080W	Warm White [2700K-3150K]	Harici (25.6V)	8	740	80		IP20	1000x18.6x14mm	1.00	15.00
DM-I23V-4100C	Cool White [6000K-6650K]	Harici (12.8V)	11	1,040	100		IP20	1000x18.6x14mm	1.00	28.00
DM-I23V-4100N	Natural White [3900K-4300K]	Harici (12.8V)	11	1,040	100		IP20	1000x18.6x14mm	1.00	28.00
DM-I23V-4100W	Warm White [2700K-3150K]	Harici (12.8V)	11	925	100		IP20	1000x18.6x14mm	1.00	28.00
DM-I23V-4200C	Cool White [6000K-6650K]	Harici (25.6V)	24	2,080	200		IP20	1000x18.6x14mm	1.00	40.00
DM-I23V-4200N	Natural White [3900K-4300K]	Harici (25.6V)	24	2,080	200		IP20	1000x18.6x14mm	1.00	40.00
DM-I23V-4200W	Warm White [2700K-3150K]	Harici (25.6V)	24	1,850	200		IP20	1000x18.6x14mm	1.00	40.00
DM-I23V-6030C	Cool White [6000K-6650K]	Harici (10.2V)	7	630	30		IP20	1000x18.6x14mm	1.00	11.00
DM-I23V-6030N	Natural White [3900K-4300K]	Harici (10.2V)	7	630	30		IP20	1000x18.6x14mm	1.00	11.00
DM-I23V-6030W	Warm White [2700K-3150K]	Harici (10.2V)	7	546	30		IP20	1000x18.6x14mm	1.00	11.00
DM-I23V-6040C	Cool White [6000K-6650K]	Harici (13.6V)	9	840	40		IP20	1000x18.6x14mm	1.00	13.00
DM-I23V-6040N	Natural White [3900K-4300K]	Harici (13.6V)	9	840	40		IP20	1000x18.6x14mm	1.00	13.00
DM-I23V-6040W	Warm White [2700K-3150K]	Harici (13.6V)	9	728	40		IP20	1000x18.6x14mm	1.00	13.00
DM-I23V-6060C	Cool White [6000K-6650K]	Harici (20.4V)	14	1,260	60		IP20	1000x18.6x14mm	1.00	17.00
DM-I23V-6060N	Natural White [3900K-4300K]	Harici (20.4V)	14	1,260	60		IP20	1000x18.6x14mm	1.00	17.00
DM-I23V-6060W	Warm White [2700K-3150K]	Harici (20.4V)	14	1,092	60		IP20	1000x18.6x14mm	1.00	17.00
DM-I23V-6080C	Cool White [6000K-6650K]	Harici (27.2V)	19	1,680	80		IP20	1000x18.6x14mm	1.00	21.00
DM-I23V-6080N	Natural White [3900K-4300K]	Harici (27.2V)	19	1,680	80		IP20	1000x18.6x14mm	1.00	21.00
DM-I23V-6080W	Warm White [2700K-3150K]	Harici (27.2V)	19	1,456	80		IP20	1000x18.6x14mm	1.00	21.00






DM-I LED LINEER (LED+PCB) [5050 SMD] / LED LINEAR (LED+PCB)	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	PFC	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-I23V-5030C	Cool White [6000K-6650K]	Harici (9.3V)	6	720	30		IP20	1000x18.6x14mm	1.00	18.00
DM-I23V-5030N	Natural White [3900K-4300K]	Harici (9.3V)	6	720	30		IP20	1000x18.6x14mm	1.00	18.00
DM-I23V-5030W	Warm White [2700K-3150K]	Harici (9.3V)	6	540	30		IP20	1000x18.6x14mm	1.00	18.00
DM-I23V-5030R	Kırmızı-Red [623nm]	Harici (8.4V)	14	135	30		IP20	1000x18.6x14mm	1.00	22.00
DM-I23V-5030G	Yeşil-Green [520nm]	Harici (11.1V)	14	270	30		IP20	1000x18.6x14mm	1.00	22.00
DM-I23V-5030B	Mavi-Blue [465nm]	Harici (11.1V)	14	90	30		IP20	1000x18.6x14mm	1.00	22.00
DM-I23V-5030A	Amber [590nm]	Harici (8.4V)	14	135	30		IP20	1000x18.6x14mm	1.00	22.00
DM-I23V-5040C	Cool White [6000K-6650K]	Harici (12.4V)	8	960	40		IP20	1000x18.6x14mm	1.00	22.00
DM-I23V-5040N	Natural White [3900K-4300K]	Harici (12.4V)	8	960	40		IP20	1000x18.6x14mm	1.00	22.00
DM-I23V-5040W	Warm White [2700K-3150K]	Harici (12.4V)	8	720	40		IP20	1000x18.6x14mm	1.00	22.00
DM-I23V-5040R	Kırmızı-Red [623nm]	Harici (11.2V)	8	180	40		IP20	1000x18.6x14mm	1.00	26.00
DM-I23V-5040G	Yeşil-Green [520nm]	Harici (14.8V)	8	360	40		IP20	1000x18.6x14mm	1.00	26.00
DM-I23V-5040B	Mavi-Blue [465nm]	Harici (14.8V)	8	120	40		IP20	1000x18.6x14mm	1.00	26.00
DM-I23V-5040A	Amber [590nm]	Harici (12.5V)	8	180	40		IP20	1000x18.6x14mm	1.00	26.00
DM-I23V-5040RGB	RGB	Harici (12.5V)	8	-	40		IP20	1000x18.6x14mm	1.00	30.00
DM-I23V-5060C	Cool White [6000K-6650K]	Harici (18.6V)	14	1,440	60		IP20	1000x18.6x14mm	1.00	28.00
DM-I23V-5060N	Natural White [3900K-4300K]	Harici (18.6V)	14	1,440	60		IP20	1000x18.6x14mm	1.00	28.00
DM-I23V-5060W	Warm White [2700K-3150K]	Harici (18.6V)	14	1,080	60		IP20	1000x18.6x14mm	1.00	28.00
DM-I23V-5060R	Kırmızı-Red [623nm]	Harici (16.8V)	14	270	60		IP20	1000x18.6x14mm	1.00	38.00
DM-I23V-5060G	Yeşil-Green [520nm]	Harici (22.2V)	14	540	60		IP20	1000x18.6x14mm	1.00	38.00
DM-I23V-5060B	Mavi-Blue [465nm]	Harici (22.2V)	14	180	60		IP20	1000x18.6x14mm	1.00	38.00
DM-I23V-5060A	Amber [590nm]	Harici (16.8V)	14	270	60		IP20	1000x18.6x14mm	1.00	38.00
DM-I23V-5060RGB	RGB	Harici (18.6V)	14	-	60		IP20	1000x18.6x14mm	1.00	40.00
DM-I23V-5080C	Cool White [6000K-6650K]	Harici (24.8V)	16	1,920	80		IP20	1000x18.6x14mm	1.00	36.00
DM-I23V-5080N	Natural White [3900K-4300K]	Harici (24.8V)	16	1,920	80		IP20	1000x18.6x14mm	1.00	36.00
DM-I23V-5080W	Warm White [2700K-3150K]	Harici (24.8V)	16	1,440	80		IP20	1000x18.6x14mm	1.00	36.00
DM-I23V-5080R	Kırmızı-Red [623nm]	Harici (22.4V)	16	360	80		IP20	1000x18.6x14mm	1.00	48.00
DM-I23V-5080G	Yeşil-Green [520nm]	Harici (29.6V)	16	720	80		IP20	1000x18.6x14mm	1.00	48.00
DM-I23V-5080B	Mavi-Blue [465nm]	Harici (29.6V)	16	240	80		IP20	1000x18.6x14mm	1.00	48.00
DM-I23V-5080A	Amber [590nm]	Harici (22.4V)	16	360	80		IP20	1000x18.6x14mm	1.00	48.00
DM-I23V-5080RGB	RGB	Harici (24.8V)	16	-	80		IP20	1000x18.6x14mm	1.00	50.00

DM-I LED LINEER (AL.+LED+PCB) [3528 SMD] / LED LINEAR (AL.		Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
	DM-I24V-3030C	Cool White [6000K-6650K]	Harici (9.9V)	1	222	30	IP20	1000x18.6x14mm	1.00	14.00
	DM-I24V-3030N	Natural White [3900K-4300K]	Harici (9.9V)	1	215	30	IP20	1000x18.6x14mm	1.00	14.00
	DM-I24V-3030W	Warm White [2700K-3150K]	Harici (9.9V)	1	206	30	IP20	1000x18.6x14mm	1.00	14.00
	DM-I24V-3030R	Kırmızı-Red [625nm]	Harici (6.3V)	1	54	30	IP20	1000x18.6x14mm	1.00	14.00
	DM-I24V-3030G	Yeşil-Green [528nm]	Harici (9.9V)	1	162	30	IP20	1000x18.6x14mm	1.00	14.00
	DM-I24V-3030B	Mavi-Blue [470nm]	Harici (9.9V)	1	30	30	IP20	1000x18.6x14mm	1.00	14.00
	DM-I24V-3030A	Amber [615nm]	Harici (6.3V)	1	54	30	IP20	1000x18.6x14mm	1.00	14.00
	DM-I24V-3040C	Cool White [6000K-6650K]	Harici (13.2V)	2	296	40	IP20	1000x18.6x14mm	1.00	17.00
	DM-I24V-3040N	Natural White [3900K-4300K]	Harici (13.2V)	2	286	40	IP20	1000x18.6x14mm	1.00	17.00
	DM-I24V-3040W	Warm White [2700K-3150K]	Harici (13.2V)	2	274	40	IP20	1000x18.6x14mm	1.00	17.00
	DM-I24V-3040R	Kırmızı-Red [625nm]	Harici (8.4V)	1	72	40	IP20	1000x18.6x14mm	1.00	17.00
	DM-I24V-3040G	Yeşil-Green [528nm]	Harici (13.2V)	2	216	40	IP20	1000x18.6x14mm	1.00	17.00
	DM-I24V-3040B	Mavi-Blue [470nm]	Harici (13.2V)	2	40	40	IP20	1000x18.6x14mm	1.00	17.00
	DM-I24V-3040A	Amber [615nm]	Harici (8.4V)	1	72	40	IP20	1000x18.6x14mm	1.00	17.00
	DM-I24V-3060C	Cool White [6000K-6650K]	Harici (19.8V)	4	444	60	IP20	1000x18.6x14mm	1.00	19.00
	DM-I24V-3060N	Natural White [3900K-4300K]	Harici (19.8V)	4	429	60	IP20	1000x18.6x14mm	1.00	19.00
	DM-I24V-3060W	Warm White [2700K-3150K]	Harici (19.8V)	4	411	60	IP20	1000x18.6x14mm	1.00	19.00
	DM-I24V-3060R	Kırmızı-Red [625nm]	Harici (12.6V)	2	108	60	IP20	1000x18.6x14mm	1.00	20.00
	DM-I24V-3060G	Yeşil-Green [528nm]	Harici (19.8V)	4	324	60	IP20	1000x18.6x14mm	1.00	20.00
	DM-I24V-3060B	Mavi-Blue [470nm]	Harici (19.8V)	4	60	60	IP20	1000x18.6x14mm	1.00	20.00
	DM-I24V-3060A	Amber [615nm]	Harici (12.5V)	2	108	60	IP20	1000x18.6x14mm	1.00	20.00



DM-I24V-3080C	Cool White [6000K-6650K]	Harici (26.4V)	6	592	80	IP20	1000x18.6x14mm	1.00	20.00
DM-I24V-3080N	Natural White [3900K-4300K]	Harici (26.4V)	6	572	80	IP20	1000x18.6x14mm	1.00	20.00
DM-I24V-3080W	Warm White [2700K-3150K]	Harici (12.5V)	6	548	80	IP20	1000x18.6x14mm	1.00	20.00
DM-I24V-3080R	Kırmızı-Red [625nm]	Harici (16.8V)	4	144	80	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-3080G	Yeşil-Green [528nm]	Harici (26.4V)	6	432	80	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-3080B	Mavi-Blue [470nm]	Harici (26.4V)	6	80	80	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-3080A	Amber [615nm]	Harici (16.8V)	4	144	80	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-3100C	Cool White [6000K-6650K]	Harici (13.2V)	7	740	100	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-3100N	Natural White [3900K-4300K]	Harici (13.2V)	7	715	100	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-3100W	Warm White [2700K-3150K]	Harici (13.2V)	7	685	100	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-3100R	Kırmızı-Red [625nm]	Harici (8.4V)	5	180	100	IP20	1000x18.6x14mm	1.00	34.00
DM-I24V-3100G	Yeşil-Green [528nm]	Harici (13.2V)	7	540	100	IP20	1000x18.6x14mm	1.00	34.00
DM-I24V-3100B	Mavi-Blue [470nm]	Harici (13.2V)	7	100	100	IP20	1000x18.6x14mm	1.00	34.00
DM-I24V-3100A	Amber [615nm]	Harici (8.4V)	5	180	100	IP20	1000x18.6x14mm	1.00	34.00
DM-I24V-3200C	Cool White [6000K-6650K]	Harici (26.4V)	16	1,480	200	IP20	1000x18.6x14mm	1.00	40.00
DM-I24V-3200N	Natural White [3900K-4300K]	Harici (26.4V)	16	1,430	200	IP20	1000x18.6x14mm	1.00	40.00
DM-I24V-3200W	Warm White [2700K-3150K]	Harici (26.4V)	16	1,370	200	IP20	1000x18.6x14mm	1.00	40.00
DM-I24B-3200R	Kırmızı-Red [625nm]	Harici (16.8V)	9	360	200	IP20	1000x18.6x14mm	1.00	47.00
DM-I24B-3200G	Yeşil-Green [528nm]	Harici (26.4V)	16	1,080	200	IP20	1000x18.6x14mm	1.00	47.00
DM-I24B-3200B	Mavi-Blue [470nm]	Harici (26.4V)	16	200	200	IP20	1000x18.6x14mm	1.00	47.00
DM-I24B-3200A	Amber [615nm]	Harici (16.8V)	9	360	200	IP20	1000x18.6x14mm	1.00	47.00

DM-I LED LINEER (AL.+LED+PCB) [3014 SMD] / LED LINEAR (AL	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-I24V-4030C	Cool White [6000K-6650K]	Harici (9.6V)	2	312	30	IP20	1000x18.6x14mm	1.00	14.00
DM-I24V-4030N	Natural White [3900K-4300K]	Harici (9.6V)	2	312	30	IP20	1000x18.6x14mm	1.00	14.00
DM-I24V-4030W	Warm White [2700K-3150K]	Harici (9.6V)	2	278	30	IP20	1000x18.6x14mm	1.00	14.00
DM-I24V-4040C	Cool White [6000K-6650K]	Harici (12.8V)	4	416	40	IP20	1000x18.6x14mm	1.00	15.00
DM-I24V-4040N	Natural White [3900K-4300K]	Harici (12.8V)	4	416	40	IP20	1000x18.6x14mm	1.00	15.00
DM-I24V-4040W	Warm White [2700K-3150K]	Harici (12.8V)	4	370	40	IP20	1000x18.6x14mm	1.00	15.00
DM-I24V-4060C	Cool White [6000K-6650K]	Harici (19.2V)	6	624	60	IP20	1000x18.6x14mm	1.00	17.00
DM-I24V-4060N	Natural White [3900K-4300K]	Harici (19.2V)	6	624	60	IP20	1000x18.6x14mm	1.00	17.00
DM-I24V-4060W	Warm White [2700K-3150K]	Harici (19.2V)	6	555	60	IP20	1000x18.6x14mm	1.00	17.00
DM-I24V-4080C	Cool White [6000K-6650K]	Harici (25.6V)	8	832	80	IP20	1000x18.6x14mm	1.00	19.00
DM-I24V-4080N	Natural White [3900K-4300K]	Harici (25.6V)	8	832	80	IP20	1000x18.6x14mm	1.00	19.00
DM-I24V-4080W	Warm White [2700K-3150K]	Harici (25.6V)	8	740	80	IP20	1000x18.6x14mm	1.00	19.00
DM-I24V-4100C	Cool White [6000K-6650K]	Harici (12.8V)	11	1,040	100	IP20	1000x18.6x14mm	1.00	30.00
DM-I24V-4100N	Natural White [3900K-4300K]	Harici (12.8V)	11	1,040	100	IP20	1000x18.6x14mm	1.00	30.00
DM-I24V-4100W	Warm White [2700K-3150K]	Harici (12.8V)	11	925	100	IP20	1000x18.6x14mm	1.00	30.00
DM-I24V-4200C	Cool White [6000K-6650K]	Harici (25.6V)	24	2,080	200	IP20	1000x18.6x14mm	1.00	42.00
DM-I24V-4200N	Natural White [3900K-4300K]	Harici (25.6V)	24	2,080	200	IP20	1000x18.6x14mm	1.00	42.00
DM-I24V-4200W	Warm White [2700K-3150K]	Harici (25.6V)	24	1,850	200	IP20	1000x18.6x14mm	1.00	42.00
DM-I24V-6030C	Cool White [6000K-6650K]	Harici (10.2V)	7	630	30	IP20	1000x18.6x14mm	1.00	17.00
DM-I24V-6030N	Natural White [3900K-4300K]	Harici (10.2V)	7	630	30	IP20	1000x18.6x14mm	1.00	17.00
DM-I24V-6030W	Warm White [2700K-3150K]	Harici (10.2V)	7	546	30	IP20	1000x18.6x14mm	1.00	17.00
DM-I24V-6040C	Cool White [6000K-6650K]	Harici (13.6V)	9	840	40	IP20	1000x18.6x14mm	1.00	20.00
DM-I24V-6040N	Natural White [3900K-4300K]	Harici (13.6V)	9	840	40	IP20	1000x18.6x14mm	1.00	20.00
DM-I24V-6040W	Warm White [2700K-3150K]	Harici (13.6V)	9	728	40	IP20	1000x18.6x14mm	1.00	20.00
DM-I24V-6060C	Cool White [6000K-6650K]	Harici (20.4V)	14	1,260	60	IP20	1000x18.6x14mm	1.00	24.00
DM-I24V-6060N	Natural White [3900K-4300K]	Harici (20.4V)	14	1,260	60	IP20	1000x18.6x14mm	1.00	24.00
DM-I24V-6060W	Warm White [2700K-3150K]	Harici (20.4V)	14	1,092	60	IP20	1000x18.6x14mm	1.00	24.00
DM-I24V-6080C	Cool White [6000K-6650K]	Harici (27.2V)	19	1,680	80	IP20	1000x18.6x14mm	1.00	27.00
DM-I24V-6080N	Natural White [3900K-4300K]	Harici (27.2V)	19	1,680	80	IP20	1000x18.6x14mm	1.00	27.00
DM-I24V-6080W	Warm White [2700K-3150K]	Harici (27.2V)	19	1,456	80	IP20	1000x18.6x14mm	1.00	27.00



DM-I LED LINEER (AL.+LED+PCB) [5050 SMD] / LED LINEAR (AL

	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-I24V-5030C	Cool White [6000K-6650K]	Harici (9.3V)	6	720	30	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-5030N	Natural White [3900K-4300K]	Harici (9.3V)	6	720	30	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-5030W	Warm White [2700K-3150K]	Harici (9.3V)	6	540	30	IP20	1000x18.6x14mm	1.00	22.00
DM-I24V-5030R	Kırmızı-Red [623nm]	Harici (8.4V)	14	135	30	IP20	1000x18.6x14mm	1.00	26.00
DM-I24V-5030G	Yeşil-Green [520nm]	Harici (11.1V)	14	270	30	IP20	1000x18.6x14mm	1.00	26.00
DM-I24V-5030B	Mavi-Blue [465nm]	Harici (11.1V)	14	90	30	IP20	1000x18.6x14mm	1.00	26.00
DM-I24V-5030A	Amber [590nm]	Harici (8.4V)	14	135	30	IP20	1000x18.6x14mm	1.00	26.00
DM-I24V-5040C	Cool White [6000K-6650K]	Harici (12.4V)	8	960	40	IP20	1000x18.6x14mm	1.00	26.00
DM-I24V-5040N	Natural White [3900K-4300K]	Harici (12.4V)	8	960	40	IP20	1000x18.6x14mm	1.00	26.00
DM-I24V-5040W	Warm White [2700K-3150K]	Harici (12.4V)	8	720	40	IP20	1000x18.6x14mm	1.00	26.00
DM-I24V-5040R	Kırmızı-Red [623nm]	Harici (11.2V)	8	180	40	IP20	1000x18.6x14mm	1.00	30.00
DM-I24V-5040G	Yeşil-Green [520nm]	Harici (14.8V)	8	360	40	IP20	1000x18.6x14mm	1.00	30.00
DM-I24V-5040B	Mavi-Blue [465nm]	Harici (14.8V)	8	120	40	IP20	1000x18.6x14mm	1.00	30.00
DM-I24V-5040A	Amber [590nm]	Harici (12.5V)	8	180	40	IP20	1000x18.6x14mm	1.00	30.00
DM-I24V-5040RGB	RGB	Harici (12.5V)	8	-	40	IP20	1000x18.6x14mm	1.00	32.00
DM-I24V-5060C	Cool White [6000K-6650K]	Harici (18.6V)	14	1,440	60	IP20	1000x18.6x14mm	1.00	32.00
DM-I24V-5060N	Natural White [3900K-4300K]	Harici (18.6V)	14	1,440	60	IP20	1000x18.6x14mm	1.00	32.00
DM-I24V-5060W	Warm White [2700K-3150K]	Harici (18.6V)	14	1,080	60	IP20	1000x18.6x14mm	1.00	32.00
DM-I24V-5060R	Kırmızı-Red [623nm]	Harici (16.8V)	14	270	60	IP20	1000x18.6x14mm	1.00	40.00
DM-I24V-5060G	Yeşil-Green [520nm]	Harici (22.2V)	14	540	60	IP20	1000x18.6x14mm	1.00	40.00
DM-I24V-5060B	Mavi-Blue [465nm]	Harici (22.2V)	14	180	60	IP20	1000x18.6x14mm	1.00	40.00
DM-I24V-5060A	Amber [590nm]	Harici (16.8V)	14	270	60	IP20	1000x18.6x14mm	1.00	40.00
DM-I24V-5060RGB	RGB	Harici (18.6V)	14	-	60	IP20	1000x18.6x14mm	1.00	42.00
DM-I24V-5080C	Cool White [6000K-6650K]	Harici (24.8V)	16	1,920	80	IP20	1000x18.6x14mm	1.00	38.00
DM-I24V-5080N	Natural White [3900K-4300K]	Harici (24.8V)	16	1,920	80	IP20	1000x18.6x14mm	1.00	38.00
DM-I24V-5080W	Warm White [2700K-3150K]	Harici (24.8V)	16	1,440	80	IP20	1000x18.6x14mm	1.00	38.00
DM-I24V-5080R	Kırmızı-Red [623nm]	Harici (22.4V)	16	360	80	IP20	1000x18.6x14mm	1.00	50.00
DM-I24V-5080G	Yeşil-Green [520nm]	Harici (29.6V)	16	720	80	IP20	1000x18.6x14mm	1.00	50.00
DM-I24V-5080B	Mavi-Blue [465nm]	Harici (29.6V)	16	240	80	IP20	1000x18.6x14mm	1.00	50.00
DM-I24V-5080A	Amber [590nm]	Harici (22.4V)	16	360	80	IP20	1000x18.6x14mm	1.00	50.00
DM-I24V-5080RGB	RGB	Harici (24.8V)	16	-	80	IP20	1000x18.6x14mm	1.00	52.00



DM-I LED LINEER (AL.+POLİKARBON+LED+PCB) [3528 SMD] / L



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-I25V-3030C	Cool White [6000K-6650K]	Harici (9.9V)	1	222	30	IP20	1000x18.6x14mm	1.00	20.00
DM-I25V-3030N	Natural White [3900K-4300K]	Harici (9.9V)	1	215	30	IP20	1000x18.6x14mm	1.00	20.00
DM-I25V-3030W	Warm White [2700K-3150K]	Harici (9.9V)	1	206	30	IP20	1000x18.6x14mm	1.00	20.00
DM-I25V-3030R	Kırmızı-Red [625nm]	Harici (6.3V)	1	54	30	IP20	1000x18.6x14mm	1.00	21.00
DM-I25V-3030G	Yeşil-Green [528nm]	Harici (9.9V)	1	162	30	IP20	1000x18.6x14mm	1.00	21.00
DM-I25V-3030B	Mavi-Blue [470nm]	Harici (9.9V)	1	30	30	IP20	1000x18.6x14mm	1.00	21.00
DM-I25V-3030A	Amber [615nm]	Harici (6.3V)	1	54	30	IP20	1000x18.6x14mm	1.00	21.00
DM-I25V-3040C	Cool White [6000K-6650K]	Harici (13.2V)	2	296	40	IP20	1000x18.6x14mm	1.00	22.00
DM-I25V-3040N	Natural White [3900K-4300K]	Harici (13.2V)	2	286	40	IP20	1000x18.6x14mm	1.00	22.00
DM-I25V-3040W	Warm White [2700K-3150K]	Harici (13.2V)	2	274	40	IP20	1000x18.6x14mm	1.00	22.00
DM-I25V-3040R	Kırmızı-Red [625nm]	Harici (8.4V)	1	72	40	IP20	1000x18.6x14mm	1.00	24.00
DM-I25V-3040G	Yeşil-Green [528nm]	Harici (13.2V)	2	216	40	IP20	1000x18.6x14mm	1.00	24.00
DM-I25V-3040B	Mavi-Blue [470nm]	Harici (13.2V)	2	40	40	IP20	1000x18.6x14mm	1.00	24.00
DM-I25V-3040A	Amber [615nm]	Harici (8.4V)	1	72	40	IP20	1000x18.6x14mm	1.00	24.00
DM-I25V-3060C	Cool White [6000K-6650K]	Harici (19.8V)	4	444	60	IP20	1000x18.6x14mm	1.00	26.00
DM-I25V-3060N	Natural White [3900K-4300K]	Harici (19.8V)	4	429	60	IP20	1000x18.6x14mm	1.00	26.00
DM-I25V-3060W	Warm White [2700K-3150K]	Harici (19.8V)	4	411	60	IP20	1000x18.6x14mm	1.00	26.00
DM-I25V-3060R	Kırmızı-Red [625nm]	Harici (12.6V)	2	108	60	IP20	1000x18.6x14mm	1.00	25.00
DM-I25V-3060G	Yeşil-Green [528nm]	Harici (19.8V)	4	324	60	IP20	1000x18.6x14mm	1.00	25.00
DM-I25V-3060B	Mavi-Blue [470nm]	Harici (19.8V)	4	60	60	IP20	1000x18.6x14mm	1.00	25.00
DM-I25V-3060A	Amber [615nm]	Harici (12.5V)	2	108	60	IP20	1000x18.6x14mm	1.00	25.00



DM-I25V-3080C	Cool White [6000K-6650K]	Harici (26.4V)	6	592	80	IP20	1000x18.6x14mm	1.00	27.00
DM-I25V-3080N	Natural White [3900K-4300K]	Harici (26.4V)	6	572	80	IP20	1000x18.6x14mm	1.00	27.00
DM-I25V-3080W	Warm White [2700K-3150K]	Harici (12.5V)	6	548	80	IP20	1000x18.6x14mm	1.00	27.00
DM-I25V-3080R	Kırmızı-Red [625nm]	Harici (16.8V)	4	144	80	IP20	1000x18.6x14mm	1.00	29.00
DM-I25V-3080G	Yeşil-Green [528nm]	Harici (26.4V)	6	432	80	IP20	1000x18.6x14mm	1.00	29.00
DM-I25V-3080B	Mavi-Blue [470nm]	Harici (26.4V)	6	80	80	IP20	1000x18.6x14mm	1.00	29.00
DM-I25V-3080A	Amber [615nm]	Harici (16.8V)	4	144	80	IP20	1000x18.6x14mm	1.00	29.00
DM-I25V-3100C	Cool White [6000K-6650K]	Harici (13.2V)	7	740	100	IP20	1000x18.6x14mm	1.00	29.00
DM-I25V-3100N	Natural White [3900K-4300K]	Harici (13.2V)	7	715	100	IP20	1000x18.6x14mm	1.00	29.00
DM-I25V-3100W	Warm White [2700K-3150K]	Harici (13.2V)	7	685	100	IP20	1000x18.6x14mm	1.00	30.00
DM-I25V-3100R	Kırmızı-Red [625nm]	Harici (8.4V)	5	180	100	IP20	1000x18.6x14mm	1.00	40.00
DM-I25V-3100G	Yeşil-Green [528nm]	Harici (13.2V)	7	540	100	IP20	1000x18.6x14mm	1.00	40.00
DM-I25V-3100B	Mavi-Blue [470nm]	Harici (13.2V)	7	100	100	IP20	1000x18.6x14mm	1.00	40.00
DM-I25V-3100A	Amber [615nm]	Harici (8.4V)	5	180	100	IP20	1000x18.6x14mm	1.00	40.00
DM-I25V-3200C	Cool White [6000K-6650K]	Harici (26.4V)	16	1,480	200	IP20	1000x18.6x14mm	1.00	47.00
DM-I25V-3200N	Natural White [3900K-4300K]	Harici (26.4V)	16	1,430	200	IP20	1000x18.6x14mm	1.00	47.00
DM-I25V-3200W	Warm White [2700K-3150K]	Harici (26.4V)	16	1,370	200	IP20	1000x18.6x14mm	1.00	47.00
DM-I25V-3200R	Kırmızı-Red [625nm]	Harici (16.8V)	9	360	200	IP20	1000x18.6x14mm	1.00	54.00
DM-I25V-3200G	Yeşil-Green [528nm]	Harici (26.4V)	16	1,080	200	IP20	1000x18.6x14mm	1.00	54.00
DM-I25V-3200B	Mavi-Blue [470nm]	Harici (26.4V)	16	200	200	IP20	1000x18.6x14mm	1.00	54.00
DM-I25V-3200A	Amber [615nm]	Harici (16.8V)	9	360	200	IP20	1000x18.6x14mm	1.00	54.00

DM-I LED LINEER (AL.+POLİKARBON+LED+PCB) [3014 SMD] / L		Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
	DM-I25V-4030C	Cool White [6000K-6650K]	Harici (9.6V)	2	312	30	IP20	1000x18.6x14mm	1.00	17.00
	DM-I25V-4030N	Natural White [3900K-4300K]	Harici (9.6V)	2	312	30	IP20	1000x18.6x14mm	1.00	17.00
	DM-I25V-4030W	Warm White [2700K-3150K]	Harici (9.6V)	2	278	30	IP20	1000x18.6x14mm	1.00	17.00
	DM-I25V-4040C	Cool White [6000K-6650K]	Harici (12.8V)	4	416	40	IP20	1000x18.6x14mm	1.00	19.00
	DM-I25V-4040N	Natural White [3900K-4300K]	Harici (12.8V)	4	416	40	IP20	1000x18.6x14mm	1.00	19.00
	DM-I25V-4040W	Warm White [2700K-3150K]	Harici (12.8V)	4	370	40	IP20	1000x18.6x14mm	1.00	19.00
	DM-I25V-4060C	Cool White [6000K-6650K]	Harici (19.2V)	6	624	60	IP20	1000x18.6x14mm	1.00	20.00
	DM-I25V-4060N	Natural White [3900K-4300K]	Harici (19.2V)	6	624	60	IP20	1000x18.6x14mm	1.00	20.00
	DM-I25V-4060W	Warm White [2700K-3150K]	Harici (19.2V)	6	555	60	IP20	1000x18.6x14mm	1.00	20.00
	DM-I25V-4080C	Cool White [6000K-6650K]	Harici (25.6V)	8	832	80	IP20	1000x18.6x14mm	1.00	24.00
	DM-I25V-4080N	Natural White [3900K-4300K]	Harici (25.6V)	8	832	80	IP20	1000x18.6x14mm	1.00	24.00
	DM-I25V-4080W	Warm White [2700K-3150K]	Harici (25.6V)	8	740	80	IP20	1000x18.6x14mm	1.00	24.00
	DM-I25V-4100C	Cool White [6000K-6650K]	Harici (12.8V)	11	1,040	100	IP20	1000x18.6x14mm	1.00	35.00
	DM-I25V-4100N	Natural White [3900K-4300K]	Harici (12.8V)	11	1,040	100	IP20	1000x18.6x14mm	1.00	35.00
	DM-I25V-4100W	Warm White [2700K-3150K]	Harici (12.8V)	11	925	100	IP20	1000x18.6x14mm	1.00	35.00
	DM-I25V-4200C	Cool White [6000K-6650K]	Harici (25.6V)	24	2,080	200	IP20	1000x18.6x14mm	1.00	47.00
	DM-I25V-4200N	Natural White [3900K-4300K]	Harici (25.6V)	24	2,080	200	IP20	1000x18.6x14mm	1.00	47.00
	DM-I25V-4200W	Warm White [2700K-3150K]	Harici (25.6V)	24	1,850	200	IP20	1000x18.6x14mm	1.00	47.00
	DM-I25V-6030C	Cool White [6000K-6650K]	Harici (10.2V)	7	630	30	IP20	1000x18.6x14mm	1.00	22.00
	DM-I25V-6030N	Natural White [3900K-4300K]	Harici (10.2V)	7	630	30	IP20	1000x18.6x14mm	1.00	22.00
	DM-I25V-6030W	Warm White [2700K-3150K]	Harici (10.2V)	7	546	30	IP20	1000x18.6x14mm	1.00	22.00
	DM-I25V-6040C	Cool White [6000K-6650K]	Harici (13.6V)	9	840	40	IP20	1000x18.6x14mm	1.00	24.00
	DM-I25V-6040N	Natural White [3900K-4300K]	Harici (13.6V)	9	840	40	IP20	1000x18.6x14mm	1.00	24.00
	DM-I25V-6040W	Warm White [2700K-3150K]	Harici (13.6V)	9	728	40	IP20	1000x18.6x14mm	1.00	24.00
	DM-I25V-6060C	Cool White [6000K-6650K]	Harici (20.4V)	14	1,260	60	IP20	1000x18.6x14mm	1.00	27.00
	DM-I25V-6060N	Natural White [3900K-4300K]	Harici (20.4V)	14	1,260	60	IP20	1000x18.6x14mm	1.00	27.00
	DM-I25V-6060W	Warm White [2700K-3150K]	Harici (20.4V)	14	1,092	60	IP20	1000x18.6x14mm	1.00	27.00
	DM-I25V-6080C	Cool White [6000K-6650K]	Harici (27.2V)	19	1,680	80	IP20	1000x18.6x14mm	1.00	30.00
	DM-I25V-6080N	Natural White [3900K-4300K]	Harici (27.2V)	19	1,680	80	IP20	1000x18.6x14mm	1.00	30.00
	DM-I25V-6080W	Warm White [2700K-3150K]	Harici (27.2V)	19	1,456	80	IP20	1000x18.6x14mm	1.00	30.00

DM-I LED LINEER (AL.+POLİKARBON+LED+PCB) [5050 SMD] / L

	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-I25V-5030C	Cool White [6000K-6650K]	Harici (9.3V)	6	720	30	IP20	1000x18.6x14mm	1.00	26.00
DM-I25V-5030N	Natural White [3900K-4300K]	Harici (9.3V)	6	720	30	IP20	1000x18.6x14mm	1.00	26.00
DM-I25V-5030W	Warm White [2700K-3150K]	Harici (9.3V)	6	540	30	IP20	1000x18.6x14mm	1.00	26.00
DM-I25V-5030R	Kırmızı-Red [623nm]	Harici (8.4V)	14	135	30	IP20	1000x18.6x14mm	1.00	30.00
DM-I25V-5030G	Yeşil-Green [520nm]	Harici (11.1V)	14	270	30	IP20	1000x18.6x14mm	1.00	30.00
DM-I25V-5030B	Mavi-Blue [465nm]	Harici (11.1V)	14	90	30	IP20	1000x18.6x14mm	1.00	30.00
DM-I25V-5030A	Amber [590nm]	Harici (8.4V)	14	135	30	IP20	1000x18.6x14mm	1.00	30.00
DM-I25V-5030RGB	RGB	Harici (9.3V)	14	-	30	IP20	1000x18.6x14mm	1.00	30.00
DM-I25V-5040C	Cool White [6000K-6650K]	Harici (12.4V)	8	960	40	IP20	1000x18.6x14mm	1.00	28.00
DM-I25V-5040N	Natural White [3900K-4300K]	Harici (12.4V)	8	960	40	IP20	1000x18.6x14mm	1.00	28.00
DM-I25V-5040W	Warm White [2700K-3150K]	Harici (12.4V)	8	720	40	IP20	1000x18.6x14mm	1.00	28.00
DM-I25V-5040R	Kırmızı-Red [623nm]	Harici (11.2V)	8	180	40	IP20	1000x18.6x14mm	1.00	34.00
DM-I25V-5040G	Yeşil-Green [520nm]	Harici (14.8V)	8	360	40	IP20	1000x18.6x14mm	1.00	34.00
DM-I25V-5040B	Mavi-Blue [465nm]	Harici (14.8V)	8	120	40	IP20	1000x18.6x14mm	1.00	34.00
DM-I25V-5040A	Amber [590nm]	Harici (12.5V)	8	180	40	IP20	1000x18.6x14mm	1.00	34.00
DM-I25V-5040RGB	RGB	Harici (12.4V)	8	-	40	IP20	1000x18.6x14mm	1.00	36.00
DM-I25V-5060C	Cool White [6000K-6650K]	Harici (18.6V)	14	1,440	60	IP20	1000x18.6x14mm	1.00	34.00
DM-I25V-5060N	Natural White [3900K-4300K]	Harici (18.6V)	14	1,440	60	IP20	1000x18.6x14mm	1.00	34.00
DM-I25V-5060W	Warm White [2700K-3150K]	Harici (18.6V)	14	1,080	60	IP20	1000x18.6x14mm	1.00	34.00
DM-I25V-5060R	Kırmızı-Red [623nm]	Harici (16.8V)	14	270	60	IP20	1000x18.6x14mm	1.00	42.00
DM-I25V-5060G	Yeşil-Green [520nm]	Harici (22.2V)	14	540	60	IP20	1000x18.6x14mm	1.00	42.00
DM-I25V-5060B	Mavi-Blue [465nm]	Harici (22.2V)	14	180	60	IP20	1000x18.6x14mm	1.00	42.00
DM-I25V-5060A	Amber [590nm]	Harici (16.8V)	14	270	60	IP20	1000x18.6x14mm	1.00	42.00
DM-I25V-5060RGB	RGB	Harici (18.6V)	14	-	60	IP20	1000x18.6x14mm	1.00	46.00
DM-I25V-5080C	Cool White [6000K-6650K]	Harici (24.8V)	16	1,920	80	IP20	1000x18.6x14mm	1.00	42.00
DM-I25V-5080N	Natural White [3900K-4300K]	Harici (24.8V)	16	1,920	80	IP20	1000x18.6x14mm	1.00	42.00
DM-I25V-5080W	Warm White [2700K-3150K]	Harici (24.8V)	16	1,440	80	IP20	1000x18.6x14mm	1.00	42.00
DM-I25V-5080R	Kırmızı-Red [623nm]	Harici (22.4V)	16	360	80	IP20	1000x18.6x14mm	1.00	52.00
DM-I25V-5080G	Yeşil-Green [520nm]	Harici (29.6V)	16	720	80	IP20	1000x18.6x14mm	1.00	52.00
DM-I25V-5080B	Mavi-Blue [465nm]	Harici (29.6V)	16	240	80	IP20	1000x18.6x14mm	1.00	52.00
DM-I25V-5080A	Amber [590nm]	Harici (22.4V)	16	360	80	IP20	1000x18.6x14mm	1.00	52.00
DM-I25V-5080RGB	RGB	Harici (24.8V)	16	-	80	IP20	1000x18.6x14mm	1.00	54.00



DM-D20 LINEER AYDINLATMA (POLİKARBON) [3014SMD] / LINEA



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-D20V-4030C	Cool White [6000K-6650K]	Harici (9.6V)	2	312	30	IP65	1000x22x22mm	1.00	24.00
DM-D20V-4030N	Natural White [3900K-4300K]	Harici (9.6V)	2	312	30	IP65	1000x22x22mm	1.00	24.00
DM-D20V-4030W	Warm White [2700K-3150K]	Harici (9.6V)	2	278	30	IP65	1000x22x22mm	1.00	24.00
DM-D20V-4040C	Cool White [6000K-6650K]	Harici (12.8V)	4	416	40	IP65	1000x22x22mm	1.00	25.00
DM-D20V-4040N	Natural White [3900K-4300K]	Harici (12.8V)	4	416	40	IP65	1000x22x22mm	1.00	25.00
DM-D20V-4040W	Warm White [2700K-3150K]	Harici (12.8V)	4	370	40	IP65	1000x22x22mm	1.00	25.00
DM-D20V-4060C	Cool White [6000K-6650K]	Harici (19.2V)	6	624	60	IP65	1000x22x22mm	1.00	27.00
DM-D20V-4060N	Natural White [3900K-4300K]	Harici (19.2V)	6	624	60	IP65	1000x22x22mm	1.00	27.00
DM-D20V-4060W	Warm White [2700K-3150K]	Harici (19.2V)	6	555	60	IP65	1000x22x22mm	1.00	27.00
DM-D20V-4080C	Cool White [6000K-6650K]	Harici (25.6V)	8	832	80	IP65	1000x22x22mm	1.00	29.00
DM-D20V-4080N	Natural White [3900K-4300K]	Harici (25.6V)	8	832	80	IP65	1000x22x22mm	1.00	29.00
DM-D20V-4080W	Warm White [2700K-3150K]	Harici (25.6V)	8	740	80	IP65	1000x22x22mm	1.00	29.00
DM-D20V-4100C	Cool White [6000K-6650K]	Harici (12.8V)	11	1,040	100	IP65	1000x22x22mm	1.00	40.00
DM-D20V-4100N	Natural White [3900K-4300K]	Harici (12.8V)	11	1,040	100	IP65	1000x22x22mm	1.00	40.00
DM-D20V-4100W	Warm White [2700K-3150K]	Harici (12.8V)	11	925	100	IP65	1000x22x22mm	1.00	40.00
DM-D20V-4200C	Cool White [6000K-6650K]	Harici (25.6V)	24	2,080	200	IP65	1000x22x22mm	1.00	50.00
DM-D20V-4200N	Natural White [3900K-4300K]	Harici (25.6V)	24	2,080	200	IP65	1000x22x22mm	1.00	50.00
DM-D20V-4200W	Warm White [2700K-3150K]	Harici (25.6V)	24	1,850	200	IP65	1000x22x22mm	1.00	50.00
DM-D20V-6030C	Cool White [6000K-6650K]	Harici (10.2V)	7	630	30	IP65	1000x22x22mm	1.00	25.00
DM-D20V-6030N	Natural White [3900K-4300K]	Harici (10.2V)	7	630	30	IP65	1000x22x22mm	1.00	25.00
DM-D20V-6030W	Warm White [2700K-3150K]	Harici (10.2V)	7	546	30	IP65	1000x22x22mm	1.00	25.00
DM-D20V-6040C	Cool White [6000K-6650K]	Harici (13.6V)	9	840	40	IP65	1000x22x22mm	1.00	27.00
DM-D20V-6040N	Natural White [3900K-4300K]	Harici (13.6V)	9	840	40	IP65	1000x22x22mm	1.00	27.00
DM-D20V-6040W	Warm White [2700K-3150K]	Harici (13.6V)	9	728	40	IP65	1000x22x22mm	1.00	27.00
DM-D20V-6060C	Cool White [6000K-6650K]	Harici (20.4V)	14	1,260	60	IP65	1000x22x22mm	1.00	30.00
DM-D20V-6060N	Natural White [3900K-4300K]	Harici (20.4V)	14	1,260	60	IP65	1000x22x22mm	1.00	30.00
DM-D20V-6060W	Warm White [2700K-3150K]	Harici (20.4V)	14	1,092	60	IP65	1000x22x22mm	1.00	30.00
DM-D20V-6080C	Cool White [6000K-6650K]	Harici (27.2V)	19	1,680	80	IP65	1000x22x22mm	1.00	34.00
DM-D20V-6080N	Natural White [3900K-4300K]	Harici (27.2V)	19	1,680	80	IP65	1000x22x22mm	1.00	34.00
DM-D20V-6080W	Warm White [2700K-3150K]	Harici (27.2V)	19	1,456	80	IP65	1000x22x22mm	1.00	34.00

DM-D20 LİNEER AYDINLATMA (POLİKARBON) / LINEAR LIGHTING

DM-D20 LİNEER AYDINLATMA (POLİKARBON) / LINEAR LIGHTING		Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
	DM-D20D-5040C	Cool White [6000K-6650K]	Harici (12.5V)	8	960	40	IP65	1000x22x22mm	1.00	34.00
	DM-D20D-5040N	Natural White [3900K-4300K]	Harici (12.5V)	8	960	40	IP65	1000x22x22mm	1.00	34.00
	DM-D20D-5040W	Warm White [2700K-3150K]	Harici (12.5V)	8	720	40	IP65	1000x22x22mm	1.00	34.00
								1000x22x22mm		
	DM-D20D-5040R	Kırmızı-Red [623nm]	Harici (18V - 24V)	8	180	40	IP65	1000x22x22mm	1.00	40.00
	DM-D20D-5040G	Yeşil-Green [520nm]	Harici (18V - 24V)	8	360	40	IP65	1000x22x22mm	1.00	40.00
	DM-D20D-5040B	Mavi-Blue [465nm]	Harici (18V - 24V)	8	120	40	IP65	1000x22x22mm	1.00	40.00
	DM-D20D-5040A	Amber [590nm]	Harici (18V - 24V)	8	180	40	IP65	1000x22x22mm	1.00	40.00
	DM-D20D-5030RGB	RGB	DMX	6		30	IP65	1000x22x22mm	1.00	30.00
	DM-D20D-5040RGB	RGB	DMX	8		40	IP65	1000x22x22mm	1.00	38.00
	DM-D20D-5060C	Cool White [6000K-6650K]	Harici (18.6V)	14	1,440	60	IP65	1000x22x22mm	1.00	40.00
	DM-D20D-5060N	Natural White [3900K-4300K]	Harici (18.6V)	14	1,440	60	IP65	1000x22x22mm	1.00	40.00
	DM-D20D-5060W	Warm White [2700K-3150K]	Harici (18.6V)	14	1,080	60	IP65	1000x22x22mm	1.00	40.00
	DM-D20D-5060R	Kırmızı-Red [623nm]	Harici (18.6V)	14	270	60	IP65	1000x22x22mm	1.00	48.00
	DM-D20D-5060G	Yeşil-Green [520nm]	Harici (18.6V)	14	540	60	IP65	1000x22x22mm	1.00	48.00
	DM-D20D-5060B	Mavi-Blue [465nm]	Harici (18.6V)	14	180	60	IP65	1000x22x22mm	1.00	48.00
	DM-D20D-5060A	Amber [590nm]	Harici (18.6V)	14	270	60	IP65	1000x22x22mm	1.00	48.00
	DM-D20D-5080C	Cool White [6000K-6650K]	Harici (25V)	16	1,920	80	IP65	1000x22x22mm	1.00	50.00
	DM-D20D-5080N	Natural White [3900K-4300K]	Harici (25V)	16	1,920	80	IP65	1000x22x22mm	1.00	50.00
	DM-D20D-5080W	Warm White [2700K-3150K]	Harici (25V)	16	1,440	80	IP65	1000x22x22mm	1.00	50.00
	DM-D20D-5080R	Kırmızı-Red [623nm]	Harici (25V)	16	360	80	IP65	1000x22x22mm	1.00	56.00
	DM-D20D-5080G	Yeşil-Green [520nm]	Harici (25V)	16	720	80	IP65	1000x22x22mm	1.00	56.00
DM-D20D-5080B	Mavi-Blue [465nm]	Harici (25V)	16	240	80	IP65	1000x22x22mm	1.00	56.00	
DM-D20D-5080A	Amber [590nm]	Harici (25V)	16	360	80	IP65	1000x22x22mm	1.00	56.00	
DM-D18D-5030RGB	RGB	Shift-RGB	6		30	IP65	1000x22x22mm	1.00	84.00	
DM-D18-CONTROLLER			-					1.00	334.00	

DM-SMPS		Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
		DM-SMPS-15W-12V	175 - 240V	-			IP20	78x51x28mm	1.00	22.00
		DM-SMPS-15W-24V	175 - 240V	-			IP20	78x51x28mm	1.00	22.00
		DM-SMPS-25W-12V	175-240V	-			IP20	99x82x35mm	1.00	30.00
		DM-SMPS-25W-24V	175-240V	-			IP20	99x82x35mm	1.00	30.00
		DM-SMPS-35W-12V	175 - 240V	-			IP20	99x97x36mm	1.00	36.00
		DM-SMPS-35W-24V	175 - 240V	-			IP20	99x97x36mm	1.00	36.00
		DM-SMPS-50W-12V	175-240V	-			IP20	129x98x38mm	1.00	38.00
		DM-SMPS-50W-24V	175-240V	-			IP20	129x98x38mm	1.00	38.00
		DM-SMPS-100W-12V	175-240V	-			IP20	159x97x38mm	1.00	50.00
		DM-SMPS-100W-15V	175-240V	-			IP20	159x97x38mm	1.00	50.00
		DM-SMPS-100W-24V	175-240V	-			IP20	159x97x38mm	1.00	50.00
		DM-SMPS-150W-12V	175-240V	-			IP20	199x98x38mm	1.00	124.00
		DM-SMPS-150W-15V	175 - 240V	-			IP20	199x98x38mm	1.00	124.00
		DM-SMPS-150W-24V	175 - 240V	-			IP20	199x98x38mm	1.00	62.00
		DM-SMPS-200W-12V	175-240V	-			IP20	215x115x50mm	1.00	88.00
		DM-SMPS-200W-15V	175 - 240V	-			IP20	215x115x50mm	1.00	94.00
		DM-SMPS-200W-24V	175-240V	-			IP20	215x115x50mm	1.00	94.00
		DM-SMPS-350W-12V	175 - 240V	-			IP20	215x115x50mm	1.00	104.00
		DM-SMPS-350W-15V	175-240V	-			IP20	215x115x50mm	1.00	104.00
		DM-SMPS-350W-24V	175 - 240V	-			IP20	215x115x50mm	1.00	104.00

DM-B51 LED BİNA BOYAMA / LED WALLWASHER



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-B51N-C008C	Cool White [6200K]	175 - 240V	8	732	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	80.00
DM-B51N-C008N	Natural White [4300K]	175 - 240V	8	732	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	80.00
DM-B51N-C008W	Warm White [3000K]	175 - 240V	8	600	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	80.00
DM-B51N-C018C	Cool White [6200K]	175 - 240V	18	1,483	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	86.00
DM-B51N-C018N	Natural White [4300K]	175 - 240V	18	1,483	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	86.00
DM-B51N-C018W	Warm White [3000K]	175 - 240V	18	1,224	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	86.00
DM-B51N-C025C	Cool White [6200K]	175 - 240V	25	2,004	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	106.00
DM-B51N-C025N	Natural White [4300K]	175 - 240V	25	2,004	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	106.00
DM-B51N-C025W	Warm White [3000K]	175 - 240V	25	1,655	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	106.00
DM-B51N-R008R	Kırmızı-Red [623nm]	175 - 240V	8	270	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	80.00
DM-B51N-R008G	Yeşil-Green [520nm]	175 - 240V	8	420	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	80.00
DM-B51N-R008B	Mavi-Blue [465nm]	175 - 240V	8	120	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	80.00
DM-B51N-R008A	Amber [590nm]	175 - 240V	8	270	6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	80.00
DM-B51N-R008RGB	RGB	175 - 240V	8		6	IP65	U160(L)x D75(D)x Y75(H)mm	1.00	170.00

DM-B52 LED BİNA BOYAMA / LED WALLWASHER




	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-B52N-C016C	Cool White [6200K]	175 - 240V	16	1,464	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	130.00
DM-B52N-C016N	Natural White [4300K]	175 - 240V	16	1,464	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	130.00
DM-B52N-C016W	Warm White [3000K]	175 - 240V	16	1,200	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	130.00
DM-B52N-C034C	Cool White [6200K]	175 - 240V	34	2,965	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	148.00
DM-B52N-C034N	Natural White [4300K]	175 - 240V	34	2,965	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	148.00
DM-B52N-C034W	Warm White [3000K]	175 - 240V	34	2,448	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	148.00
DM-B52N-R016R	Kırmızı-Red [623nm]	175 - 240V	16	540	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	118.00
DM-B52N-R016G	Yeşil-Green [520nm]	175 - 240V	16	840	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	118.00
DM-B52N-R016B	Mavi-Blue [465nm]	175 - 240V	16	240	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	118.00
DM-B52N-R016A	Amber [590nm]	175 - 240V	16	540	12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	118.00
DM-B52N-R016RGB	RGB	175 - 240V	16		12	IP65	U330(L)x D75(D)x Y75(H)mm	1.00	216.00

DM-B53 LED BİNA BOYAMA / LED WALLWASHER




	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-B53N-C024C	Cool White [6200K]	175 - 240V	24	2,196	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	192.00
DM-B53N-C024N	Natural White [4300K]	175 - 240V	24	2,196	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	192.00
DM-B53N-C024W	Warm White [3000K]	175 - 240V	24	1,800	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	192.00
DM-B53N-C050C	Cool White [6200K]	175 - 240V	50	4,448	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	198.00
DM-B53N-C050N	Natural White [4300K]	175 - 240V	50	4,448	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	198.00
DM-B53N-C050W	Warm White [3000K]	175 - 240V	50	3,672	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	198.00
DM-B53N-R024R	Kırmızı-Red [623nm]	175 - 240V	24	810	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	170.00
DM-B53N-R024G	Yeşil-Green [520nm]	175 - 240V	24	1,260	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	170.00
DM-B53N-R024B	Mavi-Blue [465nm]	175 - 240V	24	360	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	170.00
DM-B53N-R024A	Amber [590nm]	175 - 240V	24	810	18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	170.00
DM-B53N-R024RGB	RGB	175 - 240V	24		18	IP65	U500(L)xD75(D)xY75(H)mm	1.00	234.00

DM-B54 LED BİNA BOYAMA / LED WALLWASHER



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-B54N-C030C	Cool White [6200K]	175 - 240V	30	2,928	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	230.00
DM-B54N-C030N	Natural White [4300K]	175 - 240V	30	2,928	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	230.00
DM-B54N-C030W	Warm White [3000K]	175 - 240V	30	2,400	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	230.00
DM-B54N-C068C	Cool White [6200K]	175 - 240V	68	5,930	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	270.00
DM-B54N-C068N	Natural White [4300K]	175 - 240V	68	5,930	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	270.00
DM-B54N-C068W	Warm White [3000K]	175 - 240V	68	4,896	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	270.00
DM-B54N-R030R	Kırmızı-Red [623nm]	175 - 240V	30	1,080	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	200.00
DM-B54N-R030G	Yeşil-Green [520nm]	175 - 240V	30	1,680	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	200.00
DM-B54N-R030B	Mavi-Blue [465nm]	175 - 240V	30	480	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	200.00
DM-B54N-R030A	Amber [590nm]	175 - 240V	30	1,080	24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	200.00
DM-B54N-R030RGB	RGB	175 - 240V	30		24	IP65	U660(L)xD75(D)xY75(H)mm	1.00	294.00

DM-B55 LED BİNA BOYAMA / LED WALLWASHER



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-B55N-C046C	Cool White [6200K]	175 - 240V	46	4,392	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	316.00
DM-B55N-C046N	Natural White [4300K]	175 - 240V	46	4,392	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	316.00
DM-B55N-C046W	Warm White [3000K]	175 - 240V	46	3,600	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	316.00
DM-B55N-C100C	Cool White [6200K]	175 - 240V	100	8,896	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	390.00
DM-B55N-C100N	Natural White [4300K]	175 - 240V	100	8,896	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	390.00
DM-B55N-C100W	Warm White [3000K]	175 - 240V	100	7,344	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	390.00
DM-B55N-R046R	Kırmızı-Red [623nm]	175 - 240V	46	1,620	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	262.00
DM-B55N-R046G	Yeşil-Green [520nm]	175 - 240V	46	2,520	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	262.00
DM-B55N-R046B	Mavi-Blue [465nm]	175 - 240V	46	720	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	262.00
DM-B55N-R046A	Amber [590nm]	175 - 240V	46	1,620	36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	262.00
DM-B55N-R046RGB	RGB	175 - 240V	46		36	IP65	U1000(L)x D75(D)x Y75(H)mm	1.00	354.00

DM-P03 LED PROJEKTÖR / LED FLOODLIGHT



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-P03N-C054C	Cool White [6200K]	175 - 240V	54	4,448	18	IP65	G350(W)x Y328(H)mm	1.00	414.00
DM-P03N-C054N	Natural White [4300K]	175 - 240V	54	4,448	18	IP65	G350(W)x Y328(H)mm	1.00	414.00
DM-P03N-C054W	Warm White [3000K]	175 - 240V	54	3,672	18	IP65	G350(W)x Y328(H)mm	1.00	414.00
DM-P03N-C080C	Cool White [6200K]	175 - 240V	80	6,672	27	IP65	G400(W)x Y328(H)mm	1.00	458.00
DM-P03N-C080N	Natural White [4300K]	175 - 240V	80	6,672	27	IP65	G400(W)x Y328(H)mm	1.00	458.00
DM-P03N-C080W	Warm White [3000K]	175 - 240V	80	5,508	27	IP65	G400(W)x Y328(H)mm	1.00	458.00
DM-P03N-E104C	Cool White [6000K-6650K]	175 - 240V	104	6,000	30	IP65	G500(W)x Y328(H)mm	1.00	508.00
DM-P03N-E104N	Natural White [3900K-4300K]	175 - 240V	104	5,100	30	IP65	G500(W)x Y328(H)mm	1.00	508.00
DM-P03N-E104W	Warm White [2700K-3150K]	175 - 240V	104	4,350	30	IP65	G500(W)x Y328(H)mm	1.00	508.00
DM-P03N-E140C	Cool White [6000K-6650K]	175 - 240V	140	8,000	40	IP65	G550(W)x Y328(H)mm	1.00	580.00
DM-P03N-E140N	Natural White [3900K-4300K]	175 - 240V	140	6,800	40	IP65	G550(W)x Y328(H)mm	1.00	580.00
DM-P03N-E140W	Warm White [2700K-3150K]	175 - 240V	140	5,800	40	IP65	G550(W)x Y328(H)mm	1.00	580.00
DM-P03N-C120C	Cool White [6200K]	175 - 240V	120	9,884	40	IP65	G550(W)x Y328(H)mm	1.00	694.00
DM-P03N-C120N	Natural White [4300K]	175 - 240V	120	9,884	40	IP65	G550(W)x Y328(H)mm	1.00	694.00
DM-P03N-C120W	Warm White [3000K]	175 - 240V	120	8,160	40	IP65	G550(W)x Y328(H)mm	1.00	694.00
DM-P03N-C188C	Cool White [6200K]	175 - 240V	188	13,362	40	IP65	G650(W)x Y328(H)mm	1.00	740.00
DM-P03N-C188N	Natural White [4300K]	175 - 240V	188	13,362	40	IP65	G650(W)x Y328(H)mm	1.00	740.00
DM-P03N-C188W	Warm White [3000K]	175 - 240V	188	11,030	40	IP65	G650(W)x Y328(H)mm	1.00	740.00



DM-L05 LED SOKAK LAMBALARI / LED STREET LAMPS

	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-L05V-C046C	Cool White [6200K]	175 - 240V	46	4,392	36	IP65	G400(W)xD215(D)xY55(H)mm	1.00	388.00
DM-L05V-C046N	Natural White [4300K]	175 - 240V	46	4,392	36	IP65	G400(W)xD215(D)xY55(H)mm	1.00	388.00
DM-L05V-C046W	Warm White [3000K]	175 - 240V	46	3,600	36	IP65	G400(W)xD215(D)xY55(H)mm	1.00	388.00
DM-L05U-E058C	Cool White [6000K-6650K]	175 - 240V	58	3,600	18	IP65	G400(W)xD215(D)xY55(H)mm	1.00	308.00
DM-L05U-E058N	Natural White [3900K-4300K]	175 - 240V	58	3,060	18	IP65	G400(W)xD215(D)xY55(H)mm	1.00	308.00
DM-L05U-E058W	Warm White [2700K-3150K]	175 - 240V	58	2,610	18	IP65	G400(W)xD215(D)xY55(H)mm	1.00	308.00
DM-L05V-C050C	Cool White [6200K]	175 - 240V	50	4,448	18	IP65	G400(W)xD215(D)xY55(H)mm	1.00	328.00
DM-L05V-C050N	Natural White [4300K]	175 - 240V	50	4,448	18	IP65	G400(W)xD215(D)xY55(H)mm	1.00	328.00
DM-L05V-C050W	Warm White [3000K]	175 - 240V	50	3,672	18	IP65	G400(W)xD215(D)xY55(H)mm	1.00	328.00
DM-L05U-E066C	Cool White [6000K-6650K]	175 - 240V	66	4,000	20	IP65	G400(W)xD215(D)xY55(H)mm	1.00	314.00
DM-L05U-E066N	Natural White [3900K-4300K]	175 - 240V	66	3,400	20	IP65	G400(W)xD215(D)xY55(H)mm	1.00	314.00
DM-L05U-E066W	Warm White [2700K-3150K]	175 - 240V	66	2,900	20	IP65	G400(W)xD215(D)xY55(H)mm	1.00	314.00
DM-L05V-C056C	Cool White [6200K]	175 - 240V	56	4,942	20	IP65	G400(W)xD215(D)xY55(H)mm	1.00	340.00
DM-L05V-C056N	Natural White [4300K]	175 - 240V	56	4,942	20	IP65	G400(W)xD215(D)xY55(H)mm	1.00	340.00
DM-L05V-C056W	Warm White [3000K]	175 - 240V	56	4,080	20	IP65	G400(W)xD215(D)xY55(H)mm	1.00	340.00
DM-L05U-E078C	Cool White [6000K-6650K]	175 - 240V	78	4,800	24	IP65	G400(W)xD215(D)xY55(H)mm	1.00	324.00
DM-L05U-E078N	Natural White [3900K-4300K]	175 - 240V	78	4,080	24	IP65	G400(W)xD215(D)xY55(H)mm	1.00	324.00
DM-L05U-E078W	Warm White [2700K-3150K]	175 - 240V	78	3,480	24	IP65	G400(W)xD215(D)xY55(H)mm	1.00	324.00
DM-L05V-C068C_1	Cool White [6200K]	175 - 240V	68	5,930	24	IP65	G400(W)xD215(D)xY55(H)mm	1.00	346.00
DM-L05V-C068N_1	Natural White [4300K]	175 - 240V	68	5,930	24	IP65	G400(W)xD215(D)xY55(H)mm	1.00	346.00
DM-L05V-C068W_1	Warm White [3000K]	175 - 240V	68	4,896	24	IP65	G400(W)xD215(D)xY55(H)mm	1.00	346.00
DM-L05V-C068C_2	Cool White [6200K]	175 - 240V	68	6,588	54	IP65	G400(W)xD215(D)xY55(H)mm	1.00	468.00
DM-L05V-C068N_2	Natural White [4300K]	175 - 240V	68	6,588	54	IP65	G400(W)xD215(D)xY55(H)mm	1.00	468.00
DM-L05V-C068W_2	Warm White [3000K]	175 - 240V	68	5,400	54	IP65	G400(W)xD215(D)xY55(H)mm	1.00	468.00
DM-L05V-C068C_3	Cool White [6200K]	175 - 240V	68	7,506	54	IP65	G400(W)xD215(D)xY55(H)mm	1.00	486.00



[illegible]

DM-P15 LED KANOPI ARMATÜRÜ / LED CANOPY LUMINAIRE



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	PFC	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-P15V-C068C	Cool White [6200K]	175 - 240V	68	5,930	24		IP65	G421(W)x D421(D)x Y85(H) / 346x346mm	1.00	284.00
DM-P15V-C090C_1	Cool White [6200K]	175 - 240V	90	8,896	36		IP65	G421(W)x D421(D)x Y85(H) / 346x346mm	1.00	418.00



DM-P25 LED ENDÜSTRİYEL ARMATÜR / LED HIGH-BAY



	Renk	Gerilim (V) Voltage	Watt	Işık Akısı Flux (lm)	LED No	PFC	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-P25V-C060C	Cool White [6200K]	175 - 240V	60	5,856	48		IP20	Ø400xY60(H)mm	1.00	364.00
DM-P25V-C060N	Natural White [4300K]	175 - 240V	60	5,856	48		IP20	Ø400xY60(H)mm	1.00	364.00
DM-P25V-C060W	Warm White [3000K]	175 - 240V	60	4,800	48		IP20	Ø400xY60(H)mm	1.00	364.00
DM-P25V-C090C	Cool White [6200K]	175 - 240V	90	8,784	72		IP20	Ø400xY60(H)mm	1.00	492.00
DM-P25V-C090N	Natural White [4300K]	175 - 240V	90	8,784	72		IP20	Ø400xY60(H)mm	1.00	492.00
DM-P25V-C090W	Warm White [3000K]	175 - 240V	90	7,200	72		IP20	Ø400xY60(H)mm	1.00	492.00
DM-P25V-C136C	Cool White [6200K]	175 - 240V	136	11,861	48		IP20	Ø400xY60(H)mm	1.00	494.00
DM-P25V-C136N	Natural White [4300K]	175 - 240V	136	11,861	48		IP20	Ø400xY60(H)mm	1.00	494.00
DM-P25V-C136W	Warm White [3000K]	175 - 240V	136	9,792	48		IP20	Ø400xY60(H)mm	1.00	494.00
DM-P25V-C168C	Cool White [6200K]	175 - 240V	168	14,826	60		IP20	Ø400xY60(H)mm	1.00	540.00
DM-P25V-C168N	Natural White [4300K]	175 - 240V	168	14,826	60		IP20	Ø400xY60(H)mm	1.00	540.00
DM-P25V-C168W	Warm White [3000K]	175 - 240V	168	12,240	60		IP20	Ø400xY60(H)mm	1.00	540.00



DM-X DMX ÜNİTELERİ / DMX UNITS



Renk	Gerilim (V) Voltage	Şebeke Gücü(W) Line Power(W)	Işık Akısı Flux (lm)	LED No	IP	Boyutlar (mm) Dimensions (mm)	Ad/kutu Box Qty	List (USD)
DM-X-MASTER-USB-0100	175 - 240V	-					1.00	168.00
DM-X-PC-CREATER		-					1.00	2400.00
DM-X-MASTER-0200	175 - 240V	-					1.00	720.00
DM-X-RX-0303 (kasalı / casing + SMPS)	175 - 240V	-					1.00	184.00
DM-X-RX-0304 (kasalı / casing + SMPS)	175 - 240V	-					1.00	200.00
DM-X-RX-0303 (kasasız / no casing)	175 - 240V	-					1.00	94.00
DM-X-RX-0304 (kasasız / no casing)	175 - 240V	-					1.00	108.00

DMX Bağlantı Şeması / DMX Connection Diagram

